


TECHNICAL DATA SHEET PXP-10

PUMP MODEL	PXP-10-50			PXP-10-75			PXP-10-100		
NUMBER OF STAGES	7			11			13		
GPM	10			10			10		
HP	1/2			3/4			1		
	PUMP ONLY								
PRODUCT CODE	650-0210			650-0220			650-0230		
	ODP								
PRODUCT CODE	650-2210	650-5210	650-8210	650-2220	650-5220	650-8220	650-2230	650-5230	650-8230
MOTOR CODE	151-1210	151-1560	151-1562	151-1230	151-1570	151-1572	151-1250	151-1580	151-1582
VOLTAGE	115 / 230	575	230 / 460	115 / 230	575	230 / 460	115 / 230	575	230 / 460
AMPERAGE	8,2 / 4,1		1,76 / 0,88	11,0 / 5,5	1	2,36 / 1,18	13,2 / 6,6	2.1	3,26 / 1,63
SERVICE FACTOR	1.6		1.6	1.5	1.25	1.5	1.4	1.4	1.15
PHASES	1	3	3	1	3	3	1	3	3
MOTOR WEIGHT (lbs)	22			28	35	17	29	19	20
	TEFC								
PRODUCT CODE	650-3210	650-6210	650-9210	650-3220	650-6220	650-9220	650-3230	650-6230	650-9230
MOTOR CODE	151-1500	151-1565	151-1563	151-1510	151-1575	151-1573	151-1520	151-1585	151-1583
VOLTAGE	115 / 230	575	230 / 460	115 / 230	575	230 / 460	115 / 230	575	230 / 460
AMPERAGE	7,8 / 3,9	0.6	1,57 / 0,78	10,0 / 5,0	0.8	2,24 / 1,12	12,8 / 6,4	3,4 / 1,7	3,0 / 1,5
SERVICE FACTOR	1.15	1.15	1.15	1.15	1.25	1.15	1.15	1.15	1.15
PHASES	1	3	3	1	3	3	1	3	3
MOTOR WEIGHT (lbs)	27	21		42	30	21	33	40	24

PUMP MODEL	PXP-10-150			PXP-10-200			PXP-10-300		
NUMBER OF STAGES	16			21			31		
GPM	10			10			10		
HP	1 1/2			2			3		
	PUMP ONLY								
PRODUCT CODE	650-0240			650-0250			650-0260		
	ODP								
PRODUCT CODE	650-2240	650-5240	650-8240	650-2250	650-5250	650-8250	650-2260	650-5260	650-8260
MOTOR CODE	151-1260	151-1590	151-1592	151-1280	151-1600	151-1602	151-1300	151-1610	151-1612
VOLTAGE	115 / 230	575	230 / 460	115 / 230	575	230 / 460	230	575	230 / 460
AMPERAGE	18,2 / 9,1	1.7	4,22 / 2,11	19,6 / 9,8	2.2	4,84 / 2,42	13.4	3	7,18 / 3,59
SERVICE FACTOR	1.3	1	1.15	1.2	1.2	1.2	1.15	1.15	1
PHASES	1	3	3	1	3	3	1	3	3
MOTOR WEIGHT (lbs)	33	30	28	32	25	39	37	25	38
	TEFC								
PRODUCT CODE	650-3240	650-6240	650-9240	650-3250	650-6250	650-9250	650-3260	650-6260	650-9260
MOTOR CODE	151-1530	151-1595	151-1593	151-1540	151-1605	151-1603	151-1550	151-1615	151-1613
VOLTAGE	115 / 230	575	230 / 460	230	575	230 / 460	230	575	230 / 460
AMPERAGE	16,6 / 8,3	1.5	3,74 / 1,87	9.3	1.98	4,94 / 2,47	13.3	2.7	7,02 / 3,51
SERVICE FACTOR	1.15	1.25	1.15	1.15	1.15	1.15	1.15	1.15	1.15
PHASES	1	3	3	1	3	3	1	3	3
MOTOR WEIGHT (lbs)	40	40	35	42	43	40	17	45	50

PUMPING CURVE



FEATURES

